

Rodkicker brackets








Rodkicker mast brackets, C-sections and F-sections

	Mast section	Boom section	Rodkicker brackets Type 05, 10 och 20 Art. No.	Rodkicker Type 30	Bracket dimensions	Fasteners Art. No.
	C156-C175	B087-B104	508-788-12 Toggle (AL): Width: 20 mm Hole: Ø 10 mm		Height: 130 mm Width: 55 mm	10 pop rivets 167-006
	F176-F194 C156-C193	B120-B171	508-231-12 Toggle (AL): Width: 20 mm Hole: Ø 12,5 mm		Height: 160 mm Width: 61 mm	12 pop rivets 167-002
	C211-C245	B120-B200	508-257-12 Toggle (AL): Width: 20 mm Hole: Ø 12,5 mm	508-257-14 Toggle (ST): Width: 30 mm Hole: Ø 16,5 mm	Height: 174 mm Width: 71 mm	
	F212-F246	B120-B200	508-257-22 Toggle (ST): Width: 20 mm Hole: Ø 12,5 mm	508-257-24 Toggle (ST): Width: 30 mm Hole: Ø 16,5 mm		
	C264-C285	B171	508-233-12 Toggle (ST): Width: 15 mm Hole: Ø 16,5 mm		Height: 242 mm Width: 81 mm	12 screws 155-621 (MRT 6 x 20, in backing plate)
	F265-F285	B171	508-233-22 Toggle (ST): Width: 15 mm Hole: Ø 16,5 mm			12 screws 155-622 (MRT 6 x 25, in backing plate + 2 pop rivets 167-008)
	F265-F305	B200-B250		508-233-24 Toggle (ST): Width: 30 mm Hole: Ø 16,5 mm		
	C264-C304	B200-B250		508-233-14 Toggle (ST): Width: 30 mm Hole: Ø 16,5 mm		

AL = Aluminium ST = Stainless steel



Rodkicker mast brackets, E-sections, D-sections and R-sections

Fitting	Mast section	Kicker brackets (incl. fasteners) Art. No.	Dimensions mm	Boom section	Rodkicker Type	Fasteners Art. No.	Fasteners dia. x length mm
	E122, E130, E138 D109, D121, D129	508-042-03	Bracket Height: 127 Width: 36 Back angle: 10° Toggle Width: 20 Hole: Ø 10.5	86/59 85/58	05 10	6 pop rivets 167-006	4.8 x 16.5
	For pear shaped mast sections	508-052-03	Bracket Height: 80 Width: 63 Back angle: 45° Toggle Width: 20 Hole: Ø 10.5	86/59 85/58	05 10	4 pop rivets 167-004	6.4 x 12.7
	D109, D121, D129, D137, D146, D160 E122, E130, E138, E155, E170	508-040-03	Bracket Height: 138 Width: 44 Back angle: 10° Toggle Width: 20 Hole: Ø 10.5	B120 111/75 128/90	05 10	8 pop rivets 167-002	6.4 x 17.8
	E-sections from E170	508-168-62	Bracket Height: 179 Width: 63 Back angle: 10° Toggle Width: 20 Hole: Ø 12.5	143/76 B171	10	12 pop rivets 167-027	6.4 x 25
	R190, R213, R235	508-168-32			10 20	12 pop rivets 167-002	6.4 x 17.8
	R232, R260	508-151-12			10 20	10 pop rivets 167-027 + backing plate	6.4 x 25
	E-sections from E189	508-152-12	Bracket Height: 275 Width: 70 Back angle: 10° Toggle Width: 30 Hole: Ø 16.5	B200	30	18 pop rivets 167-027	6.4 x 25
		508-152-32		B250	30	18 screws 155-803 + 2 screws 162-024	MRT 6 x 50 + MFT 6 x 40 + backing plate
	R-sections	508-153-32	B200 B250	30	10 screws 155-802 + 9 x 155-622 + 6 x 162-032 + backing plate	MRT 6 x 30 + MRT 6 x 25 + MFT 6 x 25	



Rodkicker boom brackets

Description, mm	Art. No.	Boom section	Rodkicker Type
	511-556-02	85/58, 86/59	05 10
	511-643-01	B087, B104	05 10
	511-800-01	B120, 111/75 B135, 128/90 143/76, 150/105 B152, 162/125 B171, B190	05 10 20
	511-801-01	B200, B230 B250	30
	511-599-01	B300	30
	Slider 511-513-01 Track 515-504-05 (Radius 34) 515-501-03 (Radius 50)		10
	Slider 511-513-02 Track 515-501-04 (Radius 50)		20

Universal boom brackets

Art. No.	Dimensions mm	Rodkicker Type	Fasteners
	Length: 250 Width: 9	10 20	6 screws included
508-403-02	Hole: Ø13		6 pop rivets included

Universal mast brackets

Art. No.	Dimensions mm	Rodkicker Type	Fasteners
	508-237-01	Bracket	10 No fasteners incl.
	508-237-02	Toggle	20 10 screws included
	508-237-03		10 pop rivets incl.

Please visit:
www.seldenmast.com for assembly instructions.